

# Full HD Dash Camera

with 3.0" IPS Screen & Rear Camera





DSH-452 USER MANUAL



# **CONTENTS**

1.0 CAUTION				4	
	1.1	Batter	y Warning	5	
	1.2	Produc	ct Information	6	
	1.3	Packa	ge Contents	8	
	1.4	Produc	ct Overview	9	
2.0	BUT	TON FU	NCTIONS	10	
3.0	GET	GETTING STARTED			
	3.1	Inserti	ng a Micro SD Card	11	
	3.2	Remov	ving a Micro SD Card	12	
	3.3	Install	ing the DSH-452	13	
	3.4	Adjust	ing the Angle of the DSH-452	14	
	3.5	Installing the Rear Camera		14	
		3.5.1	Installation Guide	14	
		3.5.2	Rear Camera Wiring Diagram	16	

	3.5.3	Rear Camera Features	17
3.6	Connec	cting to Power	18
3.7	LED In	dicator	19
POW	POWERING THE DSH-452 ON/OFF		
4.1	Auto P	ower On/Off	19
4.2	Manua	ıl Power On	19
4.3	Manua	ıl Power Off	20
4.4	Reset t	the Car DVR	20
INITI	AL SETT	TINGS	20
5.1	Forma	tting the Inserted Micro SD Card	20
SETT	ING TH	E TIME AND DATE	21
VIDE	о мор	E	22
INTERFACE			23
8.1	Video N	Mode	23
8.2	Setup I	Menu	24
	3.7 POW 4.1 4.2 4.3 4.4 INITI. 5.1 SETT VIDE INTE 8.1	3.6 Conne 3.7 LED In  POWERING 4.1 Auto P 4.2 Manue 4.3 Manue 4.4 Reset 1  INITIAL SET 5.1 Forma  SETTING TH  VIDEO MOD  INTERFACE 8.1 Video I	3.7 LED Indicator

9.0	VIDEO MENU	2!
10.0	PICTURE MODE	29
11.0	PLAYBACK	30
12.0	WARRANTY TERMS & CONDITIONS	3
13.0	NOTES	39

#### 1.0 CAUTION

- Ensure you are using your Car Dash Cam within your countries' road laws.
   Please make sure you are familiar with your local road legislation before use.
- Avoid leaving your Dash Cam in direct sunlight for extended periods of time in an unventilated space.
- · Please set time and date before you use this device to record.
- The notifications given by the Car Dash Cam are suggestions only, please drive to the actual conditions.
- The system is to be used only for non-commercial use, within the limits permitted by the relevant laws.
- Avoid using the Car Dash Cam near any devices that emit radio interference (e.g. Microwave Ovens).
- It is considered normal operation for the Car Dash Cam to get warm during use.
- · Please format SD card before use. Refer 5.1 on page 20.

#### 1.1 BATTERY WARNING

Always charge the Car Dash Cam using the provided charger. Improper charging of the Car Dash Cam and may result in failure of the internal battery.

Never dismantle the Car Dash Cam or expose the internal battery.

Do not dispose of the Car Dash Cam in fire.

Dispose of the Car Dash Cam observing local regulations being mindful of the internal battery.

Do not attempt to replace or expose the internal battery.

#### NOTES ON INSTALLATION

- It is advised that the Car Dash Cam is installed near the rear view mirror, at the top centre of the windshield for optimal operation.
- Make sure that the lens is within the range of the windscreen wiper to ensure
  a clear view when it rains.
- Do not touch the lens with your fingers. Finger prints left on the lens will result
  in unclear videos or photos. If photos or videos are blurred, please clean the
  lens gently with a microfibre cloth.
- Do not install the device on a tinted window. Doing so may damage the tint film and restrict the Car Dash Camera's recording capabilities.
- It is recommended to install the rear camera near your license plate to provide an unhindered view from the rear of your vehicle.
- · Only use the included cable to power the Car Dash Cam.
- The DSH-452 is designed to be constantly connected to the included power supply, and is NOT designed to be used solely with the camera's built in battery.

#### 1.2 PRODUCT INFORMATION

For latest manual and product updates please visit our website at www.dashmate.com.au or www.dashmate.co.nz

#### INTRODUCTION

Thank you for purchasing a Dashmate Dash Cam. Please read through instructions before attempting to install or use this product.

This user guide is designed to assist with the day to day operation of the DSH-452.

Before attempting to use or install your Dashmate DSH-452, please ensure you have read and understood all of the safety notes below.

- Avoid leaving your DSH-452 in direct sunlight for extended periods of time in an unventilated space.
- Do not expose your DSH-452 to liquids, excessive dusty conditions or temperatures exceeding 60°C.
- · Only use the included cables to power and charge the DSH-452.
- · Only use the rear camera supplied in the packaging.
- Please do not attempt to adjust the DSH-452 position or settings whilst you are operating your vehicle.
- Please clean the windshield thoroughly removing all dust and dirt particles before fixing the adhesive mount.
- Since the mount sticks on the windshield with the 3M mount, please ensure
  that the position of the camera is best located to capture maximum area.


- It is recommended to power-on the dash camera and test the playback image on screen first prior to removing the 3M tape for installation.
- Only remove the 3M tape when you are satisfied with the dash camera
  placement and image position are delivering the best possible image and view
  of the road ahead
- Ensure you are using your DSH-452 within your countries' road laws. Please make sure you are familiar with your local road legislation before use.

## 1.3 PACKAGE CONTENTS



## 1.4 PRODUCT OVERVIEW

- 1. Rec / OK Button
- 2. Mode Button
- 3. Lock Recording Button
- 4. ON/OFF Power Button
- 5. Mini USB power socket
- 6. HDMI Port/Rear Camera In
- 7. Slot for fixing mount
- 8. Reset
  - . Microphone
- 10. Lens
- 11. Power ON LED Indicator
- 12. Recording LED Indicator
- 13. Display Screen
- 14. Up Button
- 15. Micro SD card slot\*
- 16. Menu Button
- 17. Down Button



#### 2.0 BUTTON FUNCTIONS

# M MODE BUTTON

When Device is not recording, press the M button to switch between Video Mode / Photo Mode / Play Back mode.

## OK BUTTON

Press the OK Button to start/stop video recording in Video mode.

Press the OK Button to take photo in Camera mode.

Press the OK Button to play/pause current video on playback mode.

## **B** LOCK FILE BUTTON

When DVR is recording, Press Lock Button to lock the current file. Locked file won't be over recorded during loop recording.

#### O POWER BUTTON

Press and hold the Power Button to Power Off the Device. Press once to switch LCD Screen Off however DVR will continue recording.

#### ▼ DOWN BUTTON

In Settings menu use the down key to toggle between the settings.

Press to turn On/Off the inbuilt Microphone.

## ■ MENU BUTTON

Press to enter or exit the Settings Menu.

## ▲ UP BUTTON

In the Settings menu use the Up Button to toggle between the settings.

### RESET RESET BUTTON

Press to reset to factory settings.

## мк МІС

Microphone Position

# TF TF CARD SLOT

Micro SD Card Slot. Please use Maximum 32 GB, Class 10 and above.

#### USB INTERFACE

Mini USB Power cable to connect with power adapter provided in the packaging.

#### 3.0 GETTING STARTED

#### 3.1 INSERTING A MICRO SD CARD

With the Car DVR turned off and the screen facing towards you insert your Micro SD Card (not included) in the slot on the right side of the DSH-452 with the text on the Micro SD card away from you. Push the memory card in until a click is heard.

#### 3.2 REMOVING A MICRO SD CARD


Ensure that the DSH-452 is powered off, and with your thumbnail press in the Micro SD Card until a click is heard. The Micro SD Card will eject from the DSH-452 when released.

## NOTE:

- · Micro SD Card is not included.
- Do not remove or insert the memory card while the Car DVR is turned on as this may damage the memory card or corrupt the memory cards stored data.
- Please use a Class 10 or higher rated micro SD card with a maximum capacity of 32GB.
- Please format the Micro SD card before the initial use. Refer to Section 5.1 on page 20.
- When removing the memory card, be careful as the card may eject quickly.

#### 3.3 INSTALLING THE DSH-452

- Connect the Window mount from the top of the DVR and rotate the wheel (See Fig 1 on page 14) clock wise until it is tight.
- 2. Please follow the instructions on page 6 before continuing.
- 3. Remove the protective stickers from the Car DVR and the 3M Mount.
- 4. Press the mount base firmly against the windscreen and hold for 30 seconds.
- 5. Insert the power cable adapter into the dash camera power socket.
- 6. Rear camera connector has to be inserted in HDMI port of the dash camera.



#### NOTE:

 It is advised that the DSH-452 is installed in the centre of the windscreen behind the rear view mirror.

#### 3.4 ADJUSTING THE ANGLE OF THE DSH-452

- Loosen the Angle Locking Wheel on the mounting bracket, and adjust the vertical and horizontal angle of the camera.
- Tighten the Angle Locking Wheel to lock the position of the camera.




(Fig .1) Window Mount

### 3.5 INSTALLING THE REAR CAMERA

#### 3.5.1 INSTALLATION GUIDE

 Select a flat and centred location near the number plate lamp at the rear of the vehicle to mount the camera.




- Attach tape to the bracket of the camera to hold the camera in position while installing. Drill two small holes, one for the first screw, the second to run the reverse camera cable through.
- 3. Use a screw driver to fix the first screw, leaving the screw loose enough to adjust the camera.
- Insert the camera wire through the intended drilled hole checking the installation position.
- Mark the position suitable for the second screw and drill a small hole for it.





6. Fix the second screw and securely tighten both screws.



## 3.5.2 REAR CAMERA WIRING DIAGRAM



#### 3.5.3 REAR CAMERA FEATURES

After successfully installing and connecting the rear camera into the main DVR, the rear camera will be displayed on the Dash Cam's 3.0" IPS Screen.

Both Cameras will instantaneously start recording after the DVR is powered ON.

Both Front and Rear Camera images will now be displayed on your Dash Camera's 3.0" IPS Screen, you can switch between cameras by using the UP key.

Display can switch between:

- 1. Full Front Camera view
- 2. Full Rear Camera view
- 3. Half Front and Half Rear view

When your vehicle is in reverse gear, the display will change to the Rear Camera view with Reversing Guide Lines to assist the driver when reversing / parking.

## 3.6 CONNECTING TO POWER

Only use the included charger to power and charge the Car DVR.

- Once the Car DVR is securely installed on your vehicle's windscreen, plug the DC Power Plug into your vehicle's cigarette lighter.
- Run the power cable along your vehicle's console and windscreen and plug the USB Micro plug into the Car DVR and the USB A end into the DC Power Plug.

#### NOTES:

- It is recommended that the Car DVR is installed behind your vehicle's rear view mirror.
- Make sure that the camera view is not obstructed by any window tint or any other objects.
- The DSH-452 is designed to be constantly powered by the included DC Power Plug. The internal battery is designed to hold saved settings and power the camera when in Park Mode. The battery is NOT designed for primary use.

#### 3.7 LED INDICATOR

- · Flashing blue light indicates recording is in progress.
- · Continuous red light indicates the internal battery is charging.

## 4.0 POWERING THE DSH-452 ON/OFF

## 4.1 AUTO POWER ON/OFF

When the Car DVR is correctly installed and connected to your vehicle's 12v power supply, the Car DVR will automatically power up and start recording when the vehicle accessories are activated.

#### 4.2 MANUAL POWER ON

Hold the o Power button on the lower right hand side of the camera until the Dashmate start up screen appears.

#### 4.3 MANUAL POWER OFF

Make sure that recording has been stopped and then press the O Power button on the lower right hand side of the car DVR. After powering down the device please wait for 10 seconds before turning the Car DVR back on.

#### 4.4 RESET THE CAR DVR

If the Car DVR does not function normally, try restarting the car DVR. To restart the car DVR, using a small pin press and hold the Reset button on the bottom side of the camera.

### 5.0 INITIAL SETTINGS

Before using the Car DVR we recommend Formatting the Inserted Micro SD Card and setting the correct Time and Date.

#### 5.1 FORMATTING THE INSERTED MICRO SD CARD

Formatting the Micro SD card will delete all information on the inserted Micro SD Card and prepare the card for use with the Car DVR.

- Press the OK Button to stop the Car DVR from recording.
- 2. Press the Menu Button to enter the Settings Menu.
- Use the and Buttons to navigate the Settings Menu and highlight the Format setting and press the right to select.

- 4. Select SD Card and press the OK Button.
- 5. Press the OK Button to confirm.

#### NOTES:

- Menus cannot be accessed while the camera is recording. Please stop the recording before attempting to access the menu.
- Formatting your Micro SD Card will delete all files from the card. Once these
  files have been deleted you will not be able to recover them.

## 6.0 SETTING THE TIME AND DATE

Setting the Time and Date allows you to stamp your footage with the time as a reference.

- 1. Press the OK Button to stop the Car DVR from recording.
- 2. Press the B Button to enter the Settings Menu.
- Use the and Buttons to navigate the Settings Menu and highlight the Date/Time setting and press the right button to select.

4. Use the A and V buttons to edit the selected digit and the right button to confirm and progress to the next digit. The final field sets the format that the date will be presented in, pressing the B button with this field highlighted will save the date and time and return you to the settings menu.

### NOTES:


- Menus cannot be accessed while the camera is recording. Please stop the recording before attempting to access the menu.
- Once the time and date is set, it can be stamped onto your footage using the Date Stamp setting. Please see section Date Stamp for more details.

## 7.0 VIDEO MODE

When the Car DVR is powered up the video screen will start by default. In this screen recording will automatically start and can be stopped by pressing the  $\[ \]$  Button. To access the Video Menu, ensure that the Car DVR is not recording then press the  $\[ \]$  Button.

## 8.0 INTERFACE

## 8.1 VIDEO MODE



- 1. Video Mode: Number 3 shows the loop recording duration.
- 2. Resolution: 1080 FHD Video Recording Resolution.
- 3. Duration: 00:02:25 Loop Recording timer.
- 4. Motion Detection: Displays Motion Detection.
- 5. Lock File: Current Recorded File Locked indicator.

- Park Mode: The highlighted bar indicates the sensitivity of Park mode with 1 Bar indicating Low Sensitivity.
- G-Sensor: The highlighted bar indicates the sensitivity of G-Sensor with 1 Bar indicating Low Sensitivity.
- 8. Microphone: Turns the Microphone on or off.
- 9. Micro SD Card: Indicates inserted SD Card.
- 10. Battery: Indicates battery level.
- 11. Date: (19/03/2020)
- 12. Time: (12:54:02)

## 8.2 SETUP MENU

- 1. Press OK to stop Recording.
- 2. Press the Menu button to enter delete the Settings Menu.
- 3. Press the 🛕 and 🔻 Button to select the setting you wish to change.
- 4. Press OK Button on your selected option.
- New Setting will be shown on the top left of the screen and also on the selected setting icon.

# 9.0 VIDEO MENU

Menu	Select Settings	Description	
Resolution	1080P FHD 720P FHD	Higher resolution gives your footage more detail but uses more storage space.  Lower resolution saves storage space.  Default: 1080P	
Loop Recording Off/1,3 or 5 Minutes		Loop Recording defines the length of time the DSH-452 records before creating a new file. Using the Off setting will record the longest possible loops under the file size of 1 GB (around 5 minutes). <b>Default: 3 Mins</b>	
Photo Resolution		Higher resolution gives your footage more detail but uses more storage space.  Lower resolution saves storage space.  Default: 12M	

# VIDEO MENU CONT'

Menu	Select Settings	Description	
Language	Select Language	Select Menu Language. <b>Default: English</b>	
Date/Time	Set Date and Time	Using the Up/Down and OK buttons to enter the date and time (24hr clock) to stamp onto your footage. Once you have finished use the Menu button to save and return to the Settings Menu.	
G-Sensor	Off / Low / Medium / High	To adjust the sensitivity of the G-sensor.  High is the highest sensitivity and Low is the lowest  Default: Low	
Park Mode	Off / Low / Medium / High	Park Mode helps to make your car safe by record video even when the Engine is switched off. Your DVR will record incidents when it detects an imp and the G-Sensor is triggered. Park Mode will record a maximum of 10 instances during a 24 he period, once the battery has been fully charged.	
		Default: Off	

# VIDEO MENU CONT'

Menu	Select Settings	Description	
Motion Detection	Off / On	DVR will stop recording if it doesn't detect any motion and will immediately start recording if it detects motion.	
		Default: Off	
Number Input Number Plate Plate Stamp		Input your car number plate and it will be watermarked on the recorded footage.	
Date Stamp On	Off / On	Select On/Off to have the date and time stamped on the recorded Video.  Default: On	
Microphone	Off / On	Turning this setting off mutes the built in microphone.  Default: On	
Beep sound	Off / On	Mutes control for Key beeps.  Default: On	

# VIDEO MENU CONT'

Menu	Select Settings	Description	
Auto Display Off	Off / 1 min / 3 mins / 5 mins	Auto Screen Saver setting determines the amount of time before the display screen turns off.	
		(DSH-452 will keep on recording even when the display is Off).  Default: Off	
Flicker	50Hz / 60 Hz	Screen Hz setting. <b>Default: 50 Hz</b>	
Format	Cancel / OK	Format the inserted Micro SD Card, deleting all photos, videos and data.	
Default Setting	Restore factory settings	Cancel / OK	
Version	ОК	Displays the installed firmware version.	

## 10.0 PICTURE MODE



- 1. Press OK to Stop Recording.
- 2. Press M (Mode Key) once to enter Picture Mode.
- 3. Press OK Key to take pictures.

#### 11.0 PLAYBACK



- 1. Press the OK Button once to Stop Recording.
- 2. Press M (Mode Key) twice to enter Playback Mode.
- 3. Press 🔺 and 🔻 button to select the desired file to be played back.
- 4. Press the OK button to play back selected video file and then press again to pause.

#### 12.0 WARRANTY TERMS & CONDITIONS

Our goods come with guarantees that cannot be excluded under the Australian & New Zealand Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

This warranty is provided in addition to your rights under the Australian & New Zealand Consumer Law.

Directed Electronics warrants that this product is free from defects in material and workmanship for a period of 12 months from the date of purchase or for the period stated on the packaging. This warranty is only valid where you have used the product in accordance with any recommendations or instructions provided by Directed Electronics.

This warranty excludes defects resulting from alterations of the product, accident, misuse, abuse or neglect.

In order to claim the warranty, you must return the product to the retailer from which it was purchased or if that retailer is part of a National network, a store within that chain, along with satisfactory proof of purchase. The retailer will then return the goods to Directed Electronics. Directed Electronics will repair, replace or refurbish the product at its discretion. The retailer will contact you when the product is ready for collection. All costs involved in claiming this warranty, including the cost of the retailer sending the product to Directed Electronics, will be borne by you.

Email: service@dashmate.com.au

#### INDEMNITY

YOU AGREE TO DEFEND, INDEMNIFY AND HOLD HARMLESS DASHMATE AND ITS SUBSIDIARIES AND AFFILIATES FROM AND AGAINST ANY AND ALL CLAIMS, PROCEEDINGS, INJURIES, LIABILITIES, LOSSES, COSTS AND EXPENSES (INCLUDING REASONABLE LEGAL FEES), INCLUDING BUT NOT LIMITED TO, CLAIMS ALLEGING NEGLIGENCE, INVASION OF PRIVACY, COPYRIGHT INFRINGEMENT AND/OR TRADEMARK INFRINGEMENT AGAINST DASHMATE AND ITS SUBSIDIARIES AND AFFILIATES OR THE DASHMATE SERVICES, RELATING TO OR ARISING OUT OF YOUR BREACH OF ANY PROVISION OF THESE TERMS, YOUR MISUSE OF THE DASHMATE OR DASHMATE SERVICES, OR YOUR UNAUTHORIZED MODIFICATION OR ALTERATION OF PRODUCTS OR SOFTWARE.

## WARRANTY AND WARRANTY DISCLAIMER

DASHMATE HAS A LIMITED WARRANTY ON WHEREBY DASHMATE WARRANTS TO AND ONLY TO YOU THAT THE ON DASHMATE VEHICLE DASH CAMERAS, MIRROR DASH CAMERAS, FRONT, REAR AND REVERSING CAMERAS AND MIRROR MONITOR DEVICES WILL BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR ONE (1) YEAR FROM THE DATE OF YOUR PURCHASE OF THE ON DASHMATE VEHICLE DASH CAMERAS, MIRROR DASH CAMERAS, FRONT, REAR AND REVERSING CAMERAS AND MIRROR MONITOR DEVICES

(UNLESS A LONGER WARRANTY PERIOD IS REQUIRED BY LAW).
THE SPECIFICS OF THIS DASHMATE LIMITED WARRANTY ARE AT
HTTPS://WWW.DASHMATE.COM.AII/WARRANTY

TO THE EXTENT POSSIBLE UNDER GOVERNING LAW, OTHER THAN THE ABOVE PRODUCT WARRANTY FOR THE DASHMATE VEHICLE DASH CAMERAS. MIRROR DASH CAMERAS FRONT REAR AND REVERSING CAMERAS AND MIRROR MONITOR DEVICES, YOU UNDERSTAND AND AGREE THAT THE DASHMATE SERVICES ARE PROVIDED ON AN "AS IS" AND "AS AVAILABLE" BASIS DASHMATE MAKES NO WARRANTY THAT THE DASHMATE SERVICES WILL MEET YOUR REQUIREMENTS OR THAT USE OF THE DASHMATE SERVICES WILL BE UNINTERRUPTED. TIMELY, SECURE OR ERROR-FREE NOR DOES DASHMATE MAKE ANY WARRANTY AS TO THE ACCURACY OR RELIABILITY OF ANY INFORMATION OBTAINED THROUGH THE DASHMATE SERVICES (INCLUDING THIRD PARTY CONTENT). THAT ANY DEFECTS IN THE DASHMATE SERVICES. WILL BE CORRECTED OR THAT THE DASHMATE PRODUCTS OR DASHMATE SERVICES WILL BE COMPATIBLE WITH ANY OTHER SPECIFIC HARDWARE OR SERVICE, FURTHER, DASHMATE DOES NOT WARRANT THAT THE DASHMATE SERVICES OR THE DASHMATE SERVERS THAT PROVIDE YOU WITH DATA AND CONTENT ARE FREE OF VIRUSES OR OTHER HARMFUL COMPONENTS. DASHMATE ALSO ASSUMES NO RESPONSIBILITY FOR AND SHALL NOT BE LIABLE FOR ANY DAMAGES CAUSED BY VIRUSES THAT MAY INFECT YOUR

DASHMATE VEHICLE DASH CAMERAS, MIRROR DASH CAMERAS, FRONT, REAR AND REVERSING CAMERAS AND MIRROR MONITOR DEVICES, COMPUTER SOFTWARE. OR OTHER HARDWARE.

YOU AGREE THAT DASHMATE IS NOT AN INSURER AND THAT DASHMATE IS NOT PROVIDING ME WITH INSURANCE OF ANY TYPE. ANY AMOUNTS THAT YOU PAY DASHMATE FOR THE DASHMATE SERVICE ARE NOT INSURANCE PREMIUMS AND ARE NOT RELATED TO THE VALUE OF YOUR VEHICLE OR PROPERTY, ANYONE ELSE'S PROPERTY LOCATED IN YOUR VEHICLE OR PREMISES, OR ANY RISK OF LOSS IN YOUR VEHICLE OR AT YOUR PREMISES. IF YOU WANT INSURANCE TO PROTECT AGAINST ANY RISK OF LOSS AT YOUR VEHICLE OR PREMISES, YOU WILL PURCHASE IT. IN THE EVENT OF ANY LOSS, DAMAGE OR INJURY, YOU WILL NOT LOOK TO DASHMATE TO COMPENSATE YOU OR ANYONE ELSE. YOU RELEASE AND WAIVE FOR YOURSELF AND YOUR INSURER ALL SUBROGATION AND OTHER RIGHTS TO RECOVER AGAINST DASHMATE ARISING AS A RESULT OF THE PAYMENT OF ANY CLAIM FOR LOSS, DAMAGE OR INJURY.

DASHMATE'S EQUIPMENT AND SERVICES DO NOT CAUSE AND CANNOT ELIMINATE OCCURRENCES OF CERTAIN EVENTS, INCLUDING, BUT NOT LIMITED TO, FIRES, FLOODS, BURGLARIES, ROBBERIES AND MEDICAL PROBLEMS. DASHMATE MAKES NO GUARANTEE OR WARRANTY, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS

FOR A PARTICULAR PURPOSE, THAT THE DASHMATE EQUIPMENT AND SERVICES PROVIDED WILL DETECT OR AVERT SUCH INCIDENTS OR THEIR CONSEQUENCES. DASHMATE DOES NOT UNDERTAKE ANY RISK THAT YOU OR YOUR VEHICLE OR PROPERTY, OR THE PERSON OR PROPERTY OF OTHERS, MAY BE SUBJECT TO INJURY OR LOSS IF SUCH AN EVENT OCCURS. THE ALLOCATION OF SUCH RISK REMAINS WITH YOU, NOT DASHMATE.

OTHER THAN THE ABOVE PRODUCT WARRANTY FOR THE DASHMATE VEHICLE DASH CAMERAS, MIRROR DASH CAMERAS, FRONT, REAR AND REVERSING CAMERAS AND MIRROR MONITOR DEVICES, DASHMATE AND ITS SUPPLIERS DISCLAIM ALL WARRANTIES OF ANY KIND, WHETHER EXPRESS, IMPLIED, OR STATUTORY, REGARDING THE DASHMATE EQUIPMENT AND ANY ASSOCIATED APP/SERVICE. INCLUDING ANY IMPLIED WARRANTY OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT OF THIRD PARTY RIGHTS. BECAUSE SOME JURISDICTIONS DO NOT PERMIT THE EXCLUSION OF IMPLIED WARRANTIES, THE LAST SENTENCE OF THIS SECTION MAY NOT APPLY TO YOU. DASHMATE HEREBY FURTHER EXPRESSLY DISCLAIMS ALL LIABILITY FOR ANY CLAIMS FOR SERVICE FAILURES THAT ARE DUE TO NORMAL PRODUCT WEAR, PRODUCT MISUSE, ABUSE, PRODUCT MODIFICATION, IMPROPER PRODUCT SELECTION OR YOUR NON-COMPLIANCE WITH ANY AND ALL APPLICABLE FEDERAL, STATE OR LOCAL LAWS. THIS WARRANTY AND WARRANTY DISCLAIMER GIVE

YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS THAT VARY BY STATE, PROVINCE, OR COUNTRY. OTHER THAN AS PERMITTED BY LAW, DASHMATE DOES NOT EXCLUDE, LIMIT OR SUSPEND OTHER RIGHTS YOU HAVE, INCLUDING THOSE THAT MAY ARISE FROM THE NONCONFORMITY OF A SALES CONTRACT. FOR A FULL UNDERSTANDING OF YOUR RIGHTS YOU SHOULD CONSULT THE LAWS OF YOUR STATE, PROVINCE, OR COUNTRY. FOR OUR AUSTRALIAN CUSTOMERS: PLEASE NOTE THAT THIS WARRANTY IS IN ADDITION TO ANY STATUTORY RIGHTS IN AUSTRALIA IN RELATION TO YOUR GOODS WHICH, PURSUANT TO THE AUSTRALIAN CONSUMER LAW, CANNOT BE EXCLUDED.

#### LIMITATIONS OF DASHMATE LIABILITY

UNDER NO CIRCUMSTANCES WILL DASHMATE BE LIABLE IN ANY WAY FOR ANY CONTENT, INCLUDING, BUT NOT LIMITED TO, THE LOSS OF CONTENT, ANY ERRORS OR OMISSIONS IN ANY CONTENT, OR ANY LOSS OR DAMAGE OF ANY KIND INCURRED IN CONNECTION WITH USE OF OR EXPOSURE TO ANY CONTENT POSTED, EMAILED, ACCESSED, TRANSMITTED, OR OTHERWISE MADE AVAILABLE VIA THE DASHMATE APP.

DASHMATE LIABILITY FOR DAMAGES, ESPECIALLY FOR BREACH OF DUTY OR OBLIGATION, DELAY IN PERFORMANCE, NON-PERFORMANCE, OR MALPERFORMANCE SHALL BE PRECLUDED, EXCEPT WHEN THESE ARE DUE

TO NEGLIGENT BREACHES OF ANY SIGNIFICANT CONTRACTUAL DUTY OR OBLIGATION ON THE PART OF DASHMATE. ANY LIABILITY FOR NEGLIGENCE IS LIMITED TO DIRECT LOSSES USUALLY AND TYPICALLY FORESEEABLE IN SUCH CASE. SHOULD THE CLAIM FOR DAMAGES BE BASED ON WILFUL OR GROSSLY NEGLIGENT BREACH OF CONTRACTUAL DUTY OR OBLIGATION ON THE PART OF DASHMATE, THE PRECLUSION AND LIMITATION OF LIABILITY MENTIONED IN THE PRECEDING SENTENCES WILL NOT APPLY. THE PRECEDING PRECLUSION AND LIMITATION OF LIABILITY WILL ALSO NOT APPLY TO CLAIMS FOR DAMAGES ARISING OUT OF LOSS OF LIFE, BODILY INJURY OR HEALTH IMPACTS FOR WHICH DASHMATE MAY BE LIABLE, OR FOR NON-CONTRACTUAL LIABILITY.

SOME STATES AND COUNTRIES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. ADDITIONALLY, THIS PROVISION IS NOT INTENDED TO LIMIT DASHMATE'S LIABILITY IN THE EVENT OF DASHMATE'S WILLFUL OR INTENTIONAL MISCONDUCT.

13.0	NOTES		
_			
_			



# TECHNOLOGY DRIVEN™









All Images, Information and Content are Copyright @ 2020 Directed Electronics Australia Pty Ltd. All Rights Reserved.

www.dashmate.com.au | www.dashmate.co.nz



www.directed.com.au | www.directed.co.nz